FISEVIER

Contents lists available at ScienceDirect

## Climate Risk Management

journal homepage: www.elsevier.com/locate/crm





# Ambition and reality in the climate resilience of residential buildings: A case study on flood reconstruction in Austria

Sebastian Seebauer a, Barrell, Hans Peter Ellmer a, Thomas Thaler b,c

- <sup>a</sup> JOANNEUM RESEARCH Forschungsgesellschaft mbh, LIFE Institute for Climate, Energy Systems and Society, Graz, Austria
- <sup>b</sup> Institute of Landscape Planning, BOKU University, Peter-Jordan Straße 65, Vienna, Austria
- <sup>c</sup> Population and Just Societies Program, International Institute for Applied Systems Analysis, Schlossplatz 1, 2361 Laxenburg, Austria

#### ARTICLE INFO

#### Keywords: Climate resilience Flood risk management Governance Aid payments Shock Disaster recovery

#### ABSTRACT

Climate-resilient development pathways call for integration of climate change adaptation and mitigation; however, implementing climate resilience requires coordination between policy domains. Residential buildings may shed light on climate resilience, being vulnerable to climaterelated natural hazards and contributing significantly to carbon emissions. We analyse how residential buildings in an Austrian peri-urban area after the 2013 Danube flood were reconstructed to be not just flood-proof but also energy efficient. Five main policy instruments and their underlying governance process are described and their outcomes are assessed using public statistics, interviews with 15 policy actors, streetside observation of 126 buildings and six ethnographic case stories of specific households. The policy instruments are uncoordinated and address only their own policy domain. Households remodel their buildings minimally after the flood. Transformation to climate resilience mostly occurs in new buildings that are no longer exposed to flooding and have to comply with building regulations. Overall, the ambitions for climate resilience put forward in policy strategies hardly manifest in the reality of the case study. Funding criteria for disaster aid and renovation subsidies should be adapted to incentivise both flood protection and energy efficiency. Local authorities could be intermediaries in the rollout of policy instruments.

## 1. Introduction

The sixth IPCC report yet again highlights the need for rapid and comprehensive action on climate change (IPCC, 2022). As climate impacts unfold at an alarming pace, policy strategies need to be reoriented in order to jointly address adaptation and mitigation, in other words, coping with current climate impacts while at the same time minimising future climate impacts. Climate-resilient development pathways call for the integration of climate change adaptation and mitigation (IPCC, 2022; Göpfert et al., 2019; Werners et al., 2021). Although climate change adaptation and mitigation are intrinsically linked, they are typically managed as separate policy domains. This may lead to divergence or contradiction between institutional frameworks and implementation actions and may initiate path dependencies that restrict other policy goals (Landauer et al., 2019; Kondo et al., 2021). Climate resilience, by contrast, could leverage synergies between adaptation and mitigation activities (Langlais, 2009). Climate resilience may enable more efficient use of public and private resources and could, to some extent, avoid system capacities being overwhelmed by the climate

E-mail address: sebastian.seebauer@joanneum.at (S. Seebauer).

https://doi.org/10.1016/j.crm.2025.100762
Received 24 November 2024; Received in revised form 3 November 2025; Accepted 5 November 2025

<sup>\*</sup> Corresponding author.

impacts which are already happening. The present paper understands 'climate resilience' as the successful integration of climate change adaptation and mitigation activities; in other words, the aim of climate-resilient development pathways.

The present paper presents residential buildings as an exemplary application of climate resilience. Residential buildings are located in space and therefore can be mapped to areas of significant risk from natural hazards (EU, 2007). Buildings cause substantial carbon emissions from the production of construction materials and from space heating and domestic hot water (Meggers et al., 2012). Insulating and flood-proofing the building envelope is highly effective for buffering the impacts of heat waves and floods and reducing carbon emissions (Meggers et al., 2012; Attems et al., 2020). Once constructed, buildings endure over decades and therefore allow broad transformation as well as crippling path dependency. Buildings are targeted by many established policy instruments, such as zoning regulations, construction standards, housing grants or retrofitting subsidies. Some examples of climate resilience are the communities of Valmeyer (USA; Knobloch, 2006) or L'Aquila (Italy; Micangeli et al., 2013) where reconstruction and relocation after natural hazard events were leveraged to introduce sustainable energy systems. It thus comes as no surprise that the climate and energy strategies of many cities refer to co-benefits when integrating adaptation with mitigation in housing policy (ICLEI, 2020; OECD, 2021).

Implementing climate resilience in mainstream policy meets practical challenges, however. Governance plays a critical role in ensuring political and societal acceptance and in promoting uptake on the housing market (Rutting et al., 2023). Governance may take an active approach by planning, issuing and enforcing legal frameworks and financing, or may instead rely on self-regulatory change and the free play of market forces (Patterson et al., 2017). All the same, climate change adaptation and mitigation policy is typically scattered between administrative silos that are hardly coordinated and lack structures for exchange and innovation (Candel & Biesbroek, 2016; Peters, 2018; Löschner & Nordbeck, 2020). This often results in vague and contradictory policy goals, strategies and instruments. Integrating disconnected domains requires effort, resources and political will, for instance by jointly defining problems, goals, strategies and instruments (Biesbroek, 2021), which rarely happens in climate policy (Göpfert et al., 2019). For this reason, climate resilience often remains a wishful notion that does not specify how and when it might be implemented (Sparkes & Werners, 2023).

Climate-resilient development pathways might be more likely to emerge in the aftermath of natural hazard events than as the outcome of a planned policy process. Re-establishing systems after exogenous shocks opens a window of opportunity for disrupting deadlocked policy discourses (Friedman et al., 2019; Rose et al., 2020) and for introducing novel or radical ideas and solutions (Brundiers & Eakin, 2018; Thaler et al., 2020). In the weeks and months after a natural hazard, multiple policy activities for assistance and recovery coincide with the reconstruction of damaged buildings (Winkler et al., 2025). Successful post-disaster learning need not be limited to those affected but should span organisational (Corbacioglu & Kapucu, 2006), social (Pelling & High, 2005) and policy domains (Birkland, 2004). A natural hazard may help to escape a lock-in situation by exposing the perpetuation of prevalent policy strategies as insufficient and, instead, initiating a reorientation to new approaches (Vergne & Durand, 2010; Hanger-Kopp et al., 2022; Seebauer et al., 2023; Seebauer et al., 2025). Natural hazards may therefore catalyse and accelerate a policy change to climate resilience (Birkmann et al., 2010, Sword-Daniels et al., 2015).

The present paper assesses how the severe 2013 Danube flood event encouraged climate resilience in the federal state of Upper Austria. We analyse climate change adaptation in connection with flooding and climate change mitigation in terms of carbon emissions of residential buildings as the reaction to the shock of the flood event. A portfolio of five main policy instruments was implemented after the flood that directly affected the recovery and reconstruction of the building stock: disaster aid payments, a planned relocation programme, construction standards for new buildings, information on residential energy saving, and subsidies for renovating existing buildings. Residential buildings were repaired, adapted and erected within and outside the floodplain. Following the Strategy Shock Implementation Reaction (SSIR) framework by Seebauer et al. (2025), we trace governance activities and their outcomes on the reactions of flood-affected households by means of semi-structured interviews with policy actors and households and coding of building characteristics. Selected case stories illustrate how climate resilience played out in specific households. Overall, the policy portfolio barely supported climate resilience and even led to increased vulnerability and maladaptation (Juhola et al., 2016).

## 2. Climate resilience in Austrian regional planning

## 2.1. Austrian flood risk governance

The Austrian flood risk governance system includes a broad range of different actors at different political levels. Because of Austria's federal state system, flood risk is managed between the national, federal and local levels by separate organisations for lowland flooding, mountain torrents and the three large rivers Danube, Mach and Thaya (Rauter et al., 2019). This leads to numerous actors, strategies, legislations and policy instruments, which can be contradictory for realising climate-resilient development pathways. For example, decisions on flood-proofing requirements for new buildings, land use management or emergency management are taken by the local authority; large-scale technical protection measures (such as dams or retention basins) are designed at the federal level and funded from national, federal and local sources, but maintenance costs of these measures are carried solely by the local authority (BML, 2023).

Elected representatives and civil servants in Austrian flood risk management typically have an enduring mindset that considers public technical engineering measures to be the best and universal solution (Seebauer et al., 2023). Governance processes are mostly top-down, with hardly any consultation with or participation by concerned citizens (Seebauer & Winkler, 2020a; Thaler et al., 2020). Flood risk communication appeals to citizens to implement private preparedness measures (BMLFUW, 2012; Rauter et al., 2020). These appeals are, however, mostly limited to providing information leaflets. Small municipalities (of less than 5000 inhabitants, which is typical for Austria's countryside) usually lack qualified manpower and communal budgets to take substantial measures on

their own, or to coordinate with neighbouring municipalities or with higher governance levels (Radinger-Peer et al., 2015; Clar & Steurer, 2019).

## 2.2. Austrian housing governance

The Austrian governance system for housing provision is similarly characterised by a high level of federalism that needs political coordination (Brand & Pawloff, 2014; Niedertscheider et al., 2018). The main national actor is the Ministry for Climate Action which is responsible for reaching internationally agreed climate targets. Most competencies for implementing housing policy lie with the federal states and their administrative departments for housing, environmental protection and spatial development (Steurer & Clar, 2015). As in flood risk governance, the local authorities decide on spatial planning and land use.

National policy strategies call for extended efforts in building renovation (Federal Chancellery, 2020, BMK, 2023). National schemes, which are partly in line with the goals and additional funding programs of the federal states, provide the bulk of funding for energy efficiency in buildings. Austria has approximately 2,000 funding schemes at the national level for climate mitigation policies, of which more than 350 are directed at enterprises (Wieser, 2024). Nevertheless, national and federal efforts are insufficient to reach Austria's stated carbon emission reduction targets (Umweltbundesamt, 2023). This is mainly due to shortcomings in implementation: the majority of measures are non-binding, uncoordinated, and follow a first-come-first-served funding approach that does not prioritise critical or vulnerable population segments (Seebauer et al., 2019; Seebauer et al., 2021). Federal actors tend to circumvent or delay national ambitions unless pressured by EU directives or national legislation (Steurer & Clar, 2015).

#### 2.3. Case study description

The Eferding Basin is a 60 km² natural basin and retention area at the Danube River in the federal state of Upper Austria, about 20 km upstream of the federal state capital of Linz (Fig. 1). Historically an agricultural area, the Eferding Basin has developed into *peri*urban sprawl of the nearby Linz urban region (Seebauer & Winkler, 2020b). The area has a population density of ca. 100 residents/km² and is characterised by farm buildings and detached single-family houses with extensive gardens. The Eferding Basin was affected by severe floods in 1954, 1967, 2002 and 2013 which caused substantial damage to private properties and infrastructure (Habersack and Moser, 2003; Blöschl et al., 2013). The 2013 flood affected 706 households and incurred overall damage of €41 million (BMVIT, 2015).




Fig. 1. Case study map.

The Eferding Basin comprises five municipalities with residential and agricultural areas at risk of flooding: Alkoven, Feldkirchen, Goldwörth, Pupping, and Walding.

The Upper Danube features high-level technical protection from flood risk, going back to the construction of hydropower plants along the river course in the 1970s (Seebauer & Winkler, 2020a). Hydrological and geomorphological circumstances do not, however, allow the construction of flood alleviation schemes in the central segment of the Eferding Basin; therefore, a voluntary relocation has been implemented in this segment (Thaler et al., 2020; see Section 4.1). Planning and construction for technical flood defence in the remainder of the Eferding Basin commenced in 2015 and is still ongoing.

## 3. Data and methods

We use a mixed-method approach to paint a 'rich' picture of the recovery and reconstruction dynamics in the Eferding Basin. To identify the main policy instruments and track their design and rollout, semi-structured interviews were conducted with nine stakeholders from governmental agencies and associations at the national, federal state and local levels, and with six current or retired mayors from the Eferding Basin (see Table A.1 for a list of interviewees; interviewees are numbered as i1, i2, ... ix; all tables in the Appendix are indicated by the prefix A). Stakeholder interviewees were selected based on their roles in the climate adaptation or mitigation governance process.

To assess whether the flood event and the subsequent policy strategy improved building quality, we first compare the prevalence of carbon–neutral heating systems in the municipalities in the Eferding Basin to all other Upper Austrian municipalities using the Upper Austria carbon emission cadastre (EFA GmbH & Land OÖ 2021). These data refer to 2018, however, and no data from before the 2013 flood are available. Secondly, we observed buildings on the Eferding Basin floodplain from the streetside. A trained observer recorded external building features that could be detected despite fences, hedges, plot boundaries or surrounding buildings, using a structured coding sheet, and then approached the residents (by asking over the fence, ringing the doorbell, via neighbours) whether they would be willing to complete a more detailed building questionnaire that validated external building features, assessed internal features and also covered the building status before the 2013 flood. Streetside observation was conducted in July and August 2022. In all, 126 buildings were observed and the occupants of 41 of these completed the building questionnaire (see Fig. 1). Each building was classified as having a high, mid or low level of flood protection and energy efficiency, respectively (Tables A.2 and A.3 give the classification criteria); however, as for some buildings, the classification to a specific level was not clear-cut or some building features could not be detected, we also provide as a robustness check the results for the subsample of buildings with unambiguous classification (see Table A.4). We compare the level of flood protection and energy efficiency between the municipalities in the Eferding Basin, and before and after the 2013 flood. Because of the small and non-random sample of building questionnaires, we report descriptive statistics and refrain from significance testing.

To show how affected households modified their buildings in reaction to the flood and the policy instruments, we report six ethnographic case stories that are selected to represent prototypical individual pathways to climate resilience (case stories are indicated in Fig. 1; further results on household perceptions and reactions in the case study region are available in Seebauer & Winkler, 2020a; Winkler et al., 2025). Case story information was obtained in semi-structured interviews. Household interviewes were recruited from the address lists of previous research activities in the case study region. All case story households completed the above building questionnaire and are included in the streetside observation data.

Stakeholder and household interviews took 1–2 h each and were conducted face-to-face or online over February and March 2023. Interview transcripts were subjected to qualitative content analysis, first conducting deductive coding along the defined policy instruments and the elements of climate resilience, then extending the code system inductively to accommodate emergent aspects. All results refer to the level of single residential buildings on private properties.

## 4. Results

#### 4.1. Governance process and policy instruments in flood recovery

During the recovery and reconstruction after the 2013 flood in Eferding Basin, the public administration used five main policy instruments for climate change adaptation or mitigation in the building stock: in connection with flood risk management, (1) disaster aid payments and (2) a planned relocation programme; in connection with energy efficiency, (3) construction standards for new buildings, (4) information on residential energy saving, and (5) subsidies for renovating existing buildings. This portfolio spans regulatory, information and economic instruments; however, adaptation instruments did at best implicitly address mitigation aspects and vice versa, and so neither instrument was explicitly designed to enhance climate resilience.

Disaster aid payments are provided by the national administration and are distributed by federal authorities (i1, i2). In the federal state of Upper Austria, detailed rules specify the level of compensation, which may range from 20 % to 100 % of incurred losses depending on the total amount of damage, and whether households received other payments from insurance or private donations, as well as individual vulnerability such as low income or people with special needs living within the household (i2). Households receive the payments as a refund for submitted bills and work hour records. In principle, disaster aid payments are neutral in terms of contributing towards climate resilience, as they neither encourage nor prohibit building-level measures for flood preparedness or energy efficiency (i2); however, as bills are required to claim the payment which must correspond to specific damaged assets, disaster aid is mostly used to restore the housing situation to what it was before the flood. The administrative officers focus on appraising the flood damages and disbursing the payments and do not inform households or encourage them to consider using the money for climate

resilience (i2).

The planned relocation programme offered financial compensation to homeowners who were willing to permanently leave and resettle outside the area at risk (Weingraber & Schindelegger, 2018). The federal authorities informed the residents about this instrument (i2). Households which accepted the relocation offer were compensated for 80 % of their building's market value and 80 % of the costs of demolishing the building, including disposal and reclamation costs. Building plots were not compensated for; the plots remained with their owners and were rededicated from building land to grassland, precluding any future construction on these plots (Land OÖ, 2024). The compensation money could be spent as the recipients saw fit and was not earmarked for any housing or energy efficiency purposes. Homeowners who rejected the relocation offer stay in their homes on the floodplain but are banned from any changes in building cubature and façade openings and may not erect additional buildings on their land. By January 2021, 74 out of 152 households living in the relocation zone had accepted the relocation offer; 63 buildings had already been fully demolished (Land OÖ, 2021). The policy strategy for enhancing climate resilience of the buildings that remain on the floodplain could be described as a laissez-faire approach: as long as they comply with the building ban, they may renovate their houses for better energy efficiency. They do not receive technical flood protection or any support for flood-proofing their homes.

By contrast, national construction standards for new buildings mandated that the new homes built by households which accepted the relocation offer be highly energy efficient and use renewable energy for heating (OIB, 2023) (i3, i4). Only buildings outside the Eferding Basin floodplain receive building permits. The adaptation and mitigation agendas converge here, as these new buildings are no longer exposed to floods and operate with minimal carbon emissions; however, the new constructions require carbon-intensive materials such as cement and consume additional land, given that most relocators' new homes have larger floor areas than their former homes.

Regarding information instruments, the Upper Austrian association for promoting energy saving 'Oberösterreichischer Energiesparverband' plays a central role. The association provides energy counselling in a variety of formats, ranging from face-to-face interactions to online information (i5). Access to this information is voluntary; however, applicants for building renovation subsidies by the federal state are obliged to complete a personal counselling session (i5, i10, i11, i12, i13, i14, i15). Residents do not receive flood-related information from the association, so it does not contribute to climate resilience.

Subsidies for renovating existing buildings for higher energy efficiency are offered by national ("Sanierungsscheck", renovation check; "Raus aus Öl und Gas", get out of oil and gas) and federal ("Wohnbauförderung", housing support) administrations (Umweltbundesamt, 2023) (i3, i5). These subsidies fund remodelling activities such as thermally insulating outer walls, roofs or basement ceilings, installing triple-glazed windows and changing fossil-fuel heating systems. National and federal funding complement each other and retrofitting activities are allowed to receive funding from both levels; federal funding mainly focuses on realising additional housing space, though. Subsidies play a central role in the implementation of national climate targets in the housing sector (i3, i4, i5, i6, i7, i10, i11, i12, i13, i14, i15); however, the adoption of this policy instrument depends on the voluntary participation of homeowners who must be affluent enough to afford upfront investment costs (i3, i4, i6, i7). Neither on the national level nor in the federal state of Upper Austria do any subsidies exist for flood-proofing existing buildings (only a single other federal state in Austria offers flood-proofing subsidies; Land OÖ, 2024). Current energy efficiency subsidies do not leverage apparent co-benefits for flood adaptation; for instance, switching from oil to renewable heating also avoids oil spills when tanks are floated by floodwater, or heat




Fig. 2. Shares of buildings with carbon–neutral heating systems in all Upper Austrian municipalities. Carbon-neutral heating systems for space heating and domestic hot water using alternative energy sources (heat pump, solar, photovoltaics), district heating or firewood. The figure gives the relative frequency in all 438 municipalities of Upper Austria.

Source: Upper Austria Carbon Emission Cadastre 2018 (EFA Gmbh & Land OÖ 2021). The Upper Austria Carbon Emission Cadastre 2018 also provides data on carbon emissions from space heating and domestic hot water per resident; these data show the same picture as Fig. 2 and are therefore not reported here

pumps can be set up for quick removal to above water level when a flood comes.

In terms of climate-resilient development pathways, the climate change mitigation policy in the Eferding Basin seems entirely disconnected from adaptation goals and vice versa. Both policy domains act within their silos with no or limited exchange (i1, i3, i5, i6, i7, i9). The only exception is a subsidy for windows to increase energy efficiency, such as triple-glazed windows, which can also be used for watertight basement windows (i1, i3). Disaster aid payments could be used for improving energy efficiency of buildings after a shock (i2); however, these two positive examples of policy instruments for climate resilience are rarely used by households because they are barely supported by the public administration at different governance levels. One key reason is that there is no formal communication from the public administration to affected households to encourage climate-resilient development. The lack of communication is mainly based on the lack of policy coordination between climate mitigation and adaptation policies at national and federal level (i1, i2, i3, i8).

#### 4.2. Realised level of flood protection and energy efficiency

In all five municipalities of the Eferding Basin, the share of buildings with a carbon–neutral heating system in 2018 is lower than the average of all municipalities in the federal state of Upper Austria (Fig. 2); however, a higher share could be expected as the post-flood recovery period provided a window of opportunity towards climate resilience where households might undertake extensive building remodelling they would otherwise consider too troublesome or expensive. It seems that the repair of damaged heating systems after the 2013 flood was not used to abandon fossil fuels and to switch to carbon–neutral heating systems. Having said that, the municipal areas only partially overlap with the floodplain; in particular, in Pupping and Walding, only a fraction of all buildings of the municipality were affected by the 2013 flood. Thus, an eventual effect of the flood on the adoption of carbon–neutral heating systems might be levelled out by the large number of buildings in the same municipalities where the owners had no incentive to remodel their homes.

Data from the streetside observation allow description of the climate resilience of the current building stock on the floodplain both in terms of the flood protection and the energy efficiency of single buildings (Table 1, Fig. 1). The current level of flood protection seems fairly low considering that all observed buildings are located on the floodplain, that most of them had been damaged by the 2013 flood, and that implementing flood protection would substantially reduce their vulnerability. Across all five municipalities, as many as about two-thirds of the buildings have low flood protection, which means that they are basically unprepared for a future flood. The municipality of Goldwörth stands out because among the few buildings that remained after the planned relocation programme, three are built on stilts or on an artificial hill and therefore feature a high level of flood protection. The current level of energy efficiency reflects the municipal averages from Fig. 2: the majority of observed buildings have a mid to low energy efficiency level. This supports the conclusion that the post-flood repairs were not used as an opportunity to improve the overall building quality. The robustness check of buildings with unambiguous classification shows a consistent picture, with the only exception being that a low level of energy efficiency is even more prevalent in Feldkirchen (Table A.4).

Data from the building questionnaire allow tracking of how buildings were adapted: either from before the 2013 flood to today among households which rejected the relocation offer, or from the former (now demolished) to the current home among households which accepted the relocation offer (Table 2). Households which rejected the relocation offer and stayed on the floodplain show minimal changes in the level of flood protection and energy efficiency. If they made any changes, they improved by just one level. Typical changes in flood protection are moving their living area from the ground floor to the first floor or implementing a personal emergency plan and materials for reacting to a flood warning. Typical changes in energy efficiency are installing a heat pump in addition to firewood heating, changing windows or insulating selected walls. By contrast, households which accepted the relocation offer and left the floodplain show substantial changes towards climate resilience. They are no longer exposed to flooding and are therefore classified with a high flood protection level. Strict construction standards mandate that their new home has a high energy efficiency level. As illustrated in the case stories below, however, many of these households undermine the energy efficiency gain by an extension of floor area.

## 4.3. Household pathways to climate resilience

Households show great variety in their reactions to the above policy instruments in order to realise flood protection and energy

**Table 1**Current level of flood protection and energy efficiency in the municipalities in the Eferding Basin.

| Municipality | Flood protection | on   |      | Energy efficien | Energy efficiency |      |  |
|--------------|------------------|------|------|-----------------|-------------------|------|--|
|              | High             | Mid  | Low  | High            | Mid               | Low  |  |
| Alkoven      | 4 %              | 27 % | 69 % | 4 %             | 49 %              | 47 % |  |
| Feldkirchen  | 9 %              | 26 % | 65 % | 13 %            | 57 %              | 30 % |  |
| Goldwörth    | 20 %             | 47 % | 33 % | 7 %             | 47 %              | 47 % |  |
| Pupping      | 0 %              | 40 % | 60 % | 0 %             | 60 %              | 40 % |  |
| Walding      | 15 %             | 26 % | 59 % | 3 %             | 65 %              | 32 % |  |

The table gives relative frequencies. N=126 based on streetside observation (Alkoven n=49, Feldkirchen n=23, Goldwörth n=15, Pupping n=5, Walding n=34). The table does not include households which accepted the relocation offer, as these households moved away from these five municipalities.

**Table 2**Level of flood protection and energy efficiency before and after the 2013 flood and relocation.

| Relocation offer | Status                | Flood protection |     |     | Energy effic | Energy efficiency |     |  |
|------------------|-----------------------|------------------|-----|-----|--------------|-------------------|-----|--|
|                  |                       | High             | Mid | Low | High         | Mid               | Low |  |
| Rejected         | Before the 2013 flood | 2                | 13  | 18  | 2            | 19                | 12  |  |
|                  | Current home          | 3                | 13  | 17  | 3            | 23                | 7   |  |
| Accepted         | Former home           | 0                | 5   | 3   | 0            | 5                 | 3   |  |
|                  | Current home          | 8                | 0   | 0   | 4            | 3                 | 1   |  |

The table gives absolute frequencies. N=41 based on the building questionnaire (households which rejected the relocation offer n=33, households which accepted the relocation offer n=8).

efficiency in their homes. We describe the case stories of six households to illustrate prototypical pathways to climate resilience, ranging from inaction to transformation.

## 4.3.1. Inaction for financial reasons

The single mother with two adolescent children had purchased the building in 2006. Following the purchase, the building was partially refurbished and extended with the help of federal housing support; however, part of this extension was not completed and is still bare brickwork. After the 2013 flood, the household received substantial payments from disaster aid, insurance and private donations and used this money to restore the pre-flood housing situation. As the only flood-preventive measure, the kitchen and living quarters were moved from the ground floor to the upper floor. In a future flood emergency, the household intends to evacuate the ground floor and to again cover eventual damages from disaster aid and insurance. The homeowner acknowledges the persistent flood risk but considers herself sufficiently prepared for future flooding and highly values her residential surroundings; therefore, she rejected the relocation offer. Energy efficiency improvements to the building, such as replacing windows, insulating the roof or installing photovoltaic panels, were and still are an issue but are postponed because of immediate family needs and limited financial capabilities. The funding rates of current renovation subsidies are too low to consider further building refurbishments; in addition, since the household has free access to wood fuel from its own forest, there is no incentive to adopt more efficient heating. The homeowner receives informal advice on flood protection and energy efficiency from her family and friends and never considered contacting any formal energy counselling organisation. This example illustrates how low financial capabilities limit access to policy instruments.

## 4.3.2. Inaction for biographical reasons

The retired couple has been living in the large farmhouse from childhood on. Since then, the building has been repeatedly remodelled to meet the domestic needs of changing family constellations. Part of the building is uninhabited because their children have long left the parental home. The associated farmland is leased to other farmers. Payments from disaster aid, insurance and private donations after the 2013 flood were used to return to the previous living situation. Immediately after, but not necessarily because of the flood, the firewood boiler broke down and was substituted by a similar model for which they received national funding. The household has an unlimited supply of wood fuel from its own forest. Hot water is heated using an air-to-water heat pump. As the only flood preparedness measure, a new, broader staircase was built to the upper floor so that furniture and machinery could be moved from the ground floor workshop and storage rooms quickly in the event of an impending flood. The roof was insulated when the overall roof tiling had to be renovated. Generally, building adaptation for flood or energy purposes is only done as an add-on to urgent, extensive repair works. The household did not apply for subsidies for any of these renovation works and did not actively search for any information on flood protection or residential energy saving apart from informal advice from friends and neighbours. The couple rejected the relocation offer because they want to spend their remaining years in peace and because they believe that early warning systems and river water level management (by managing the reservoirs of hydropower plants) have improved since the 2002 and 2013 floods. Moreover, their children are still uncommitted as to whether they intend to keep and live in the property in the future, so the couple focuses on their own short-term housing needs. This example illustrates that the uptake of policy instruments depends on favourable biographical conditions.

## 4.3.3. Self-reliance and circumventing policy restrictions

The farmstead comprises a main and a side residential building where, in total, four generations and an elderly care nurse live in separate households. A couple in their 30 s act as family heads. The entire family draws on intergenerational flood experience since the 1954 flood, and has a strong do-it-yourself mindset when it comes to breaking down and moving electrical appliances and machines to a dry place during a flood emergency, cleaning up and repairing damages when the floodwaters recede, and generally for remodelling their home. Payments from disaster aid and insurance fully covered the 2013 flood damages. Because of their mindset of self-reliance and independence from the authorities, they feel well prepared for a future flood and saw no reason to accept the relocation offer. After the 2013 flood, when they heard rumours that a planned relocation programme was to be announced, they acted quickly and obtained a permit for a building extension before the programme's building ban went into force, thereby circumventing the policy restrictions. The main motivation for the extension was the anticipation of starting a family and the expected need for additional living space. They applied for housing subsidies and therefore had to construct the extension in line with energy efficiency standards; however, increasing the living space also means increased flood vulnerability. For information on residential energy saving, they rely on their personal

circle of friends among which is an energy professional. This example illustrates that policy instruments may fall short of achieving real impacts if they presuppose voluntary acceptance by citizens.

## 4.3.4. Transformation but backfire from short-term indulgence

The couple with two teenage children had accepted the relocation offer and has been living in a newly built low-energy house in a flood-safe location since 2016. The house had to comply with construction standards for wall insulation and features an air-source heat pump as a heating system; the household further plans to add photovoltaic panels. After the 2013 flood, the household utilised disaster aid payments for makeshift repairs of their old home on the floodplain, serving as a temporary residence until the new home was completed. The floor area of the new house is substantially larger than that of the former house. Thus, the household incurred a major backfire effect, because part of the efficiency gain of the low-energy building standard was offset by increased energy demand from the larger floor area. When planning the new house, the homeowners compensated for the emotional loss of their former house by aiming for a 'perfect home'. They had a short planning horizon when anticipating the residential needs of their family and indulged in spacious rooms for each child and an extra apartment for the elderly grandparent, disregarding the facts that that within a few years, their children would move out of the parental home, the grandparent would pass away, and these parts of the oversized building would then stand empty. An architect was the only information source regarding energy efficiency aspects of the new house. Moreover, based on their experiences during the approval process of their new house, the homeowners voice deep mistrust towards public authorities, which precludes accepting any advice from publicly funded organisations. This example illustrates the limits of policy instruments that do not include an absolute cap on demand for energy or land.

## 4.3.5. Transformation but backfire from policy restrictions

After the 2013 flood, the retired couple and their adult son started to repair their house on the floodplain, drawing on disaster aid and personal savings; however, when the renovation revealed that moisture and mould had caused greater damage than expected, they decided in 2015 to accept the relocation offer. They acquired a suitable piece of land well outside the flood risk zone and planned a low-energy twin house with a heat pump. As farmers, they were entitled by Austrian law to erect their farm buildings anywhere on their cropland regardless of zoning designations that are otherwise binding for all real estate development. Local authorities control whether the function of new farm buildings is indeed predominantly agricultural and not just residential. This led to lengthy revisions of the construction plan which ultimately resulted in a new house with oversized garages and storage rooms and specific façade aesthetics that partially undermined the household's original ambitions for downsizing and building to a high energy efficiency standard, in a barrier-free manner and with minimal surface sealing. In financing the new house, the household forewent a federal housing loan, as this loan would have posed additional energy efficiency requirements but did not offer more attractive credit interest rates than the private banking market. This example illustrates the lack of coordination between different housing policy instruments.

## 4.3.6. Foresighted transformation

The household consists of a parent couple, two adolescent children, and a grandparent couple. They had invested substantial efforts in renovating their historical farmhouse on the floodplain in an energy-efficient manner, but when the house was badly damaged by the 2013 flood, they restored only the bare essentials using disaster aid and decided to resettle with the support of the relocation programme on a flood-safe piece of land they had fortunately acquired a few years earlier. Being farmers, they exercised their right to build anywhere on their cropland. Driven by a strong value orientation for sustainability and energy autarky, they downsized the floor area as compared to their former house, built to almost zero-energy standards, installed a geothermal heat pump, electric vehicle charging stations and a photovoltaic system that produces more electricity over the year than is consumed on-site, but now also have energy-intensive air conditioning. A shift from full-time to part-time farming also motivated their downsizing. They received national and federal subsidies for the photovoltaic system and for the heat pump. Approval as an agricultural building by the local authorities proved challenging and required the household to cut back on some energy ambitions. Information and expertise on energy-efficient construction was mainly provided by building craftspeople and contractors. This example illustrates an almost optimal outcome towards climate resilience.

#### 5. Discussion and conclusions

Climate-resilient development pathways should play a prominent role in societal transformation processes (IPCC 2022). A policy strategy focusing on climate resilience may overcome potentially conflicting goals in climate change adaptation and mitigation policies by bringing these policies under one umbrella. Such a policy strategy may also use limited resources more effectively (IPCC, 2022; Werners et al., 2021; Sparkes & Werners, 2023). Climate resilience offers the double benefit of reducing carbon emissions and improving individual and community responses to the negative consequences of a warming climate (Chesterman et al., 2020; Singh & Chudasama, 2021; Taylor et al., 2023). However, mainstreaming climate-resilient development pathways often fails due to various reasons (IPCC, 2022). Climate resilience hinges on a stronger coordination between goals, strategies and instruments within climate policy (Niedertscheider et al., 2018; Biesbroek, 2021). Policy coordination requires extensive efforts, however, and therefore climate resilience is rarely implemented across the globe despite its apparent benefits (Göpfert et al., 2019; Singh & Chudasama, 2021; Sparkes & Werners, 2023). All the same, the question remains how to design and initiate climate-resilient development pathways in practice.

The present paper illustrates the opportunities and pitfalls when implementing climate-resilient development pathways in the building sector after an external shock. The Strategy Shock Implementation Reaction (SSIR) framework by Seebauer et al. (2025) argues that severe events such as floods may encourage a climate-resilient development pathway if policy strategies are in place

already before the event that promote a behavioural turn of affected households. In the present case study, recovery and reconstruction after a severe flood could have initiated pathways to climate-resilient buildings; that is, coordinating climate change adaptation and mitigation policies so as to promote buildings that are both flood-proofed and energy efficient. The recovery from the 2013 Danube flood might have provided a window of opportunity for extensive building remodelling, because financial support from disaster aid, insurance and private donations was available and households had to undertake extensive repair works anyway. Despite this, the ambitions for climate resilience put forward in climate policy strategies rarely manifest in the reality of our case study; instead, financial support is mostly used for short-term reconstruction without adapting or reducing carbon emissions within the building sector (Slavikova et al., 2021). Thus, our case study will add to recent scholarly work on how to translate the concept of climate-resilient development pathways into policy practice (Sparkes & Werners, 2023, Taylor et al., 2023).

In our case study, one key barrier to encouraging climate resilience is the lack of political interest. The current policy actors show practically no awareness of a common strategy and integrated instruments that address both climate change adaptation and mitigation. In consequence, policy instruments are uncoordinated, both vertically between governance levels and horizontally between water, housing and energy authorities. In particular, economic policy instruments (e.g. disaster aid payments, planned relocation programmes, renovation subsidies) pose funding requirements only within their own policy domain and do not provide incentives for improving building quality in relation to other domains. Lack of policy coordination also appears in the understanding of instruments: disaster aid is earmarked to restore flood-damaged homes, not least because households need an (interim) place to live, but does not promote a long-term transformation in the residential building sector.

Affected households show widespread inertia in their reactions to the shock of the flood. Changes to existing buildings are minimal. By contrast, all new homes of relocating households are climate resilient; however, the policy instruments are not designed to preclude backfire from increased floor areas in new homes. Similarly to the policy actors who design policy instruments, households tend to focus on a quick return to normal life instead of taking a long-term perspective on their future housing needs, energy costs and flood risk. Transformation to climate resilience is limited to new construction. Thus, as the rate of new construction in the entire building stock is generally low (in 2021, 1.8 % of all Austrian dwellings were newly constructed in this year; Statistik Austria, 2024), the current policy portfolio seems to fall short of accelerating the societal transformation to lower carbon emissions and better preparation for future climate impacts.

Despite this, our results also indicate how policy instruments could be revised to achieve more climate resilience. Regulatory restrictions, such as the construction standards for new buildings and the building ban seem more effective than economic instruments, such as the relocation compensation or renovation subsidies, which depend on voluntary acceptance by citizens. Funding requirements could be adapted across policy domains; for instance, households could be offered higher disaster aid if they restore the damaged building with better flood protection and in a more energy-efficient manner. Local authorities, who are closest to affected households, in particular during flood recovery, could function as intermediaries in the rollout of policy instruments. They could provide counselling on flood protection and energy efficiency, facilitate application to funding schemes, and direct households to construction professionals who check damaged buildings for flood damage, mould or renovation needs. Within the public administration, departments could involve and consult their respective counterparts in the design of policy instruments, for instance by coordinating funding criteria to address flood protection as well as energy efficiency.

Our Austrian case study shows that shocks such as floods might encourage a shift to climate-resilient development pathways, but often fail for various reasons. This result is not unique to Austria; the lack of a more holistic and integrated climate policy that aligns adaptation and mitigation goals is widespread in other countries (IPCC, 2022) and the notion of climate-resilient development pathways has not yet entered mainstream policy (Göpfert et al., 2019; McEvoy et al., 2025). However, the analysed policy instruments of disaster aid, construction standards, information campaigns and renovation subsidies exist in similar form in many other countries. Thus, our suggestions for improving these instruments to better address climate resilience may be adopted by other countries as well. A lack of vertical and horizontal policy coordination, that is, coordination between governance levels and between the water and housing sectors, applies not just to Austria but also to other countries (Keskitalo et al., 2016; Buschmann et al., 2022). Thus, our suggestions for streamlining funding requirements or household counselling across policy domains may transfer and scale up to other regions.

Methodologically, the present paper applies streetside observation of building features to compensate for the lack of a continuously updated building register. Such a register would allow tracking of how buildings are remodelled and constructed over time and could be used to evaluate the impacts of shocks and policy instruments. In Austria, households must notify the authorities for minor or obtain a permit for major building modifications but this information is not entered in a central building register. Streetside observation is an empirical option to close this data gap for a defined area; however, even in the open landscape and settlement structure of the Eferding Basin, the streetside observer did not have an unrestricted view of all external building features; in urban settings, it might be even more difficult to discern all relevant features. Nevertheless, streetside observation allows building classification even when the building inhabitants cannot be reached and therefore collects data that are unbiased by self-selection of those inhabitants who are willing to provide information.

## 6. Ethics declaration

By Austrian law, this survey study did not require ethical approval by an ethics committee. All participants were informed according to data protection regulations and gave their voluntary consent to participate in the study.

#### CRediT authorship contribution statement

Sebastian Seebauer: Writing - review & editing, Writing - original draft, Methodology, Conceptualization. Hans Peter Ellmer: Writing - original draft, Formal analysis, Data curation. Thomas Thaler: Writing - original draft, Formal analysis.

#### Declaration of competing interest

The authors declare the following financial interests/personal relationships which may be considered as potential competing interests: Sebastian Seebauer and Thomas Thaler report financial support was provided by Climate and Energy Fund. If there are other authors, they declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

## Acknowledgements

This work was realised within the project 'Build Back Better: Leveraging systemic shocks for integrated climate change adaptation and mitigation' funded by the Austrian Climate and Energy Fund and was carried out within the Austrian Climate Research Program (grant number C163295). We thank Stefan Klasnic for conducting the streetside observation.

#### **Appendix**

Table A1 List of stakeholder interviewees.

| No. | Interviewee  |
|-----|--|
| i1  | National ministry for water management                 |
| i2  | Federal authority for rural issues                     |
| i3  | National ministry for climate action                   |
| i4  | Federal authority for climate coordination             |
| i5  | Upper Austrian association for promoting energy saving |
| i6  | Federal authority for spatial planning                 |
| i7  | Federal authority for spatial planning                 |
| i8  | National funding agency                                |
| i9  | Climate mitigation region                              |
| i10 | Mayor  |
| i11 | Mayor  |
| i12 | Mayor  |
| i13 | Mayor  |
| i14 | Mayor  |
| i15 | Head of office of a local authority                    |

Table A2 Classification criteria for building flood protection.

| Criteria  | High                                | Mid   | Low                                 |
|---|-------------------------------------|---|-------------------------------------|
| Doorstep and first-floor elevation  | More than 2 m above                 | 0.8 to 2 m  | Less than 0.8 m                     |
| Building elevation (e.g. stilts, hill)  | Yes                                 | No  | No                                  |
| Presence of a basement  | No                                  | Yes, with watertight walls, pressure flap on sewer pipe | Yes, without structural measures    |
| Use of ground floor or basement   | No or marginal use                  | Reduced use   | Integrated into daily life          |
| Preventive measures (e.g. sandbags, flood barriers for doors/windows, portable pumps) | Well equipped                       | Partial   | None                                |
| Wall construction material  | Waterproof (e.g. concrete, granite) | Partially waterproof and easy to dry (e.g. brick)       | Not waterproof (e.g. wood, plaster) |

Criteria based on the flood preparedness guidebook "Die Kraft des Wassers - Richtiger Gebäudeschutz vor Hoch- und Grundwasser" (Austrian Federal Ministry of Agriculture, Forestry, Environment and Water Management 1999).

Table A3

| Classification criteria for | building energy efficiency. |     |     |  |
|-----------------------------|-----------------------------|-----|-----|--|
| Criteria                    | High                        | Mid | Low |  |

(continued on next page)

#### Table A3 (continued)

| Criteria  | High  | Mid   | Low                                    |
|---|---|---|--|
| Building size relative to use and number of residents | Small building; building with multiple households/<br>generations living together | Average building (e.g. single-<br>family house) | Large building (e.g. farmhouse, villa) |
| Floor area of main building                           | Less than 150 m <sup>2</sup>  | 150 to 300 m <sup>2</sup>                       | More than 300 m <sup>2</sup>           |
| Year of construction                                  | After 2000  | Between 1945 and 2000                           | Before 1945                            |
| Windows   | Triple-glazed   | Double-glazed                                   | Single-glazed                          |
| Wall insulation                                       | Well insulated  | Insulated                                       | Not insulated                          |
| Energy source for space heating and                   | Renewable   | Partly renewable                                | Fossil                                 |

Criteria based on the building renovation guidebooks "klimaaktiv Kriterienkatalog für Wohnbauten Neubau und Sanierung 2020" (Austrian Federal Ministry for Climate Protection, Environment, Energy, Mobility, Innovation and Technology 2020) and "klimaaktiv Heizungsmatrix" (in "Die richtige Heizung für mein Haus – Eine Entscheidungshilfe", Austrian Federal Ministry for Climate Protection, Environment, Energy, Mobility, Innovation and Technology 2020).

Table A4
Current level of flood protection and energy efficiency in the municipalities in the Eferding Basin (all buildings with unambiguous classification).

| Municipality | Flood protection | on   |      | Energy efficiency |      |      |
|--------------|------------------|------|------|-------------------|------|------|
|              | High             | Mid  | Low  | High              | Mid  | Low  |
| Alkoven      | 6 %              | 21 % | 73 % | 6 %               | 50 % | 44 % |
| Feldkirchen  | 10 %             | 25 % | 65 % | 9 %               | 26 % | 65 % |
| Goldwörth    | 18 %             | 45 % | 36 % | 8 %               | 42 % | 50 % |
| Pupping      | 0 %              | 50 % | 50 % | 0 %               | 50 % | 50 % |
| Walding      | 7 %              | 36 % | 57 % | 4 %               | 61 % | 35 % |

The table gives relative frequencies. N=96 in flood protection, n=94 in energy efficiency, based on streetside observation (Alkoven n=33 flood protection/n=32 energy efficiency, Feldkirchen n=20/23, Goldwörth n=11/12, Pupping n=4/4, Walding n=28/23).

## Data availability

Data will be made available on request.

#### References

Attems, M., Thaler, T., Genovese, E., Fuchs, S., 2020. Implementation of property-level flood risk adaptation (PLFRA) measures: choices and decisions. WIREs Water 7 (1), e1404.

Biesbroek, R., 2021. Policy integration and climate change adaptation. Curr. Opin. Environ. Sustain. 52, 75–81. https://doi.org/10.1016/j.cosust.2021.07.003. Birkland, T.A., 2004. Learning and policy improvement after disaster: the case of aviation security. Am. Behav. Sci. 48 (3), 341–364. https://doi.org/10.1177/0002764204268990.

Birkmann, J., Buckle, P., Jaeger, J., Pelling, M., Setiadi, N., Garschagen, M., Fernando, N., Kropp, J., 2010. Extreme events and disasters: a window of opportunity for change? Analysis of organizational, institutional and political changes, formal and informal responses after mega-disasters. Nat. Hazards 55 (3), 637–655. https://doi.org/10.1007/s11069-008-9319-2.

Blöschl, G., Nester, T., Komma, J., Parajka, J., Perdigao, R.A.P., 2013. The June 2013 flood in the upper Danube basin, and comparisons with the 2002, 1954 and 1899 floods. Hydrol. Earth Syst. Sci. 17 (12), 5197–5212. https://doi.org/10.5194/hess-17-5197-2013.

BMK, 2023: Integrierter nationaler Energie und Klimaplan für Österreich. Periode 2021-2030. Entwurf zur öffentlichen Konsultation. https://www.bmk.gv.at/themen/klima\_umwelt/klimaschutz/nat\_klimapolitik/energie\_klimaplan.html (Accessed 02 Oct 2024).

BMI., 2023. Technische Richtlinien für den Wasserbau (TRL-WB 23). https://www.umweltfoerderung.at/fileadmin/user\_upload/umweltfoerderung/betriebe/Wasser\_Betriebe/Alle Dokumente/Technische Richtlinie Wasserbau Wiederverlautbarung 2023.pdf (Accessed 02 Oct 2024).

BMLFUW, 2012. Die österreichische Strategie zur Anpassung an den Klimawandel. https://www.bmk.gv.at/themen/klima\_umwelt/klimaschutz/anpassungsstrategie/publikationen/oe\_strategie.html (Accessed 02 Oct 2024).

BMVIT, 2015. Hochwasserdokumentation Donau 2013. (Accessed 02 Oct 2024).

Brand, U., Pawloff, A., 2014. Selectivities at work: climate concerns in the midst of corporatist interests. The case of Austria. J. Environ. Prot. 5 (9), 780–795. https://doi.org/10.4236/jep.2014.59080.

Brundiers, K., Eakin, H.C., 2018. Leveraging post-disaster windows of opportunities for change towards sustainability: a framework. Sustainability 10 (5), 1390. https://doi.org/10.3390/su10051390.

Buschmann, D., Koziol, K., Bausch, T., Reinhard, S., 2022. Adaptation to climate change in small German municipalities: Sparse knowledge and weak adaptive capacities. Nat. Res. Forum 46 (4), 377–392. https://doi.org/10.1111/1477-8947.12262.

Candel, J.J.L., Biesbroek, R., 2016. Toward a processual understanding of policy integration. Policy Sci. 49, 211–231. https://doi.org/10.1007/s11077-016-9248-y. Federal Chancellery, 2020. Regierungsprogramm 2020-2024. https://www.bundeskanzleramt.gv.at/dam/jcr:7b9e6755-2115-440c-b2ec-cbf64a931aa8/RegProgramm-lang.pdf (Accessed 02 Oct 2024).

Chesterman, S., Neely, C., Thornton, P., Pereira, L., 2020. Climate-Resilient Development Pathways. SADC Futures: Developing Foresight Capacity for Climate Resilient Agricultural Development Knowledge Series. www.ccafs.cgiar.org (Accessed 02 Oct 2024).

Clar, C., Steurer, R., 2019. Climate change adaptation at different levels of government: characteristics and conditions of policy change. Nat. Res. Forum 43 (2), 121–131. https://doi.org/10.1111/1477-8947.12168.

Corbacioglu, S., Kapucu, N., 2006. Organisational learning and self-adaptation in dynamic disaster environments. Disasters 30 (2), 212–233. https://doi.org/10.1111/j.0361-3666.2006.00316.x.

- EFA GmbH, Land OÖ, 2021. Emissionskataster OÖ, Raum- und Warmwasseraufbereitung in den Oö. Haushalten 2018, Clairisa. Studie "Aktualisierung der Emissionen aus dem Hausbrand". https://www.doris.at/themen/umwelt/clairisa.aspx#Luftschadstoffe (Accessed 02 Oct 2024).
- EU, 2007. Directive 2007/60/EC on the assessment and management of flood risks. https://eur-lex.europa.eu/eli/dir/2007/60/oj (Accessed 02 Oct 2024).
- Friedman, E., Breitzer, R., Solecki, W., 2019. Communicating extreme event policy windows: Discourses on Hurricane Sandy and policy change in Boston and New York City. Environ. Sci. & Policy 100, 55–65. https://doi.org/10.1016/j.envsci.2019.06.006.
- Göpfert, C., Wamsler, C., Lang, W., 2019. A framework for the joint institutionalization of climate change mitigation and adaptation in city administrations. Mitig. Adapt. Strat. Glob. Chang. 24, 1–21. https://doi.org/10.1007/s11027-018-9789-9.
- Habersack, H., Moser, A., 2003. Ereignisdokumentation Hochwasser August 2002. University of Natural Resources and Life Sciences, Vienna, Plattform Hochwasser
- Hanger-Kopp, S., Thaler, T., Seebauer, S., Schinko, T., Clar, C., 2022. Defining and operationalizing path dependency for the development and monitoring of adaptation pathways. Glob. Environ. Chang. 72, 102425. https://doi.org/10.1016/j.gloenvcha.2021.102425.
- ICLEI, 2020. ICLEI's Climate Neutrality Framework. https://e-lib.iclei.org/publications/ICLEIs\_Climate\_Neutrality\_Framework.pdf (Accessed 02 Oct 2024).
- IPCC, 2022. Climate Change 2022: Impacts, Adaptation and Vulnerability. https://www.ipcc.ch/report/ar6/wg2/ (Accessed 31 Oct 2025).
- Juhola, S., Glaas, E., Linnér, B.-O., Neset, T.-S., 2016. Redefining maladaptation. Environ. Sci. Policy 55, 135–140. https://doi.org/10.1016/j.envsci.2015.09.014. Keskitalo, E., Juhola, S., Baron, N., Fyhn, H., Klein, J., 2016. Implementing local climate change adaptation and mitigation actions: the role of various policy
- Knobloch, D., 2006. Valmeyer, Illinois operation fresh start: using sustainable technologies to recover from disaster. National Center for Appropriate Technology,
- Kondo, K., Mabon, L., Bi, Y., Chen, Y., Hayabuchi, Y., 2021. Balancing conflicting mitigation and adaptation behaviours of urban residents under climate change and the urban heat island effect. Sustain. Cities Soc. 65, 102585. https://doi.org/10.1016/j.scs.2020.102585.
- Landauer, M., Juhola, S., Klein, J., 2019. The role of scale in integrating climate change adaptation and mitigation in cities. J. Environ. Plan. Manage. 62 (5), 741–765. https://doi.org/10.1080/09640568.2018.1430022.
- Land OO, 2021. Zonen für die freiwillige Absiedelung im Eferdinger Becken. https://www.land-oberoesterreich.gv.at/150153.htm (\*Accessed 3 Apr 2023).
- Land OÖ, 2024. Absiedelungen im Eferdinger Becken. https://www.land-oberoesterreich.gv.at/150153.htm (Accessed 02 Oct 2024).

instruments in a multi-level governance context. Climate 4 (1), 7. https://doi.org/10.3390/cli4010007.

- Langlais, R., 2009. Adaptigation (Accessed Q Oct 2024). J. Nordreg. 4, 2. https://archive.nordregio.se/en/Metameny/About-Nordregio/Journal-of-Nordregio/2009/ Journal-of-Nordregio-no-4-2009/Adaptigation/index.html.
- Löschner, L., Nordbeck, R., 2020. Switzerland's transition from flood defence to flood-adapted land use: a policy coordination perspective. Land Use Policy 95, 103873. https://doi.org/10.1016/j.landusepol.2019.02.032.
- McEvoy, S., Langendijk, G., Jeuklen, A., Haasnoot, M., 2025. What is needed to make climate resilient development pathways planning actionable in cities? Environ. Res. Commun. 7 (8), 082501. https://doi.org/10.1088/2515-7620/adf9c9.
- Meggers, F., Leibundgut, H., Kennedy, S., Menghao, Q., Schlaich, M., Sobek, W., Shukuya, M., 2012. Reduce CO2 from buildings with technology to zero emissions. Sust. Cities Soc. 2 (1), 29–36. https://doi.org/10.1016/j.scs.2011.10.001.
- Micangeli, A., Michelangeli, E., Naso, V., 2013. Sustainability after the thermal energy supply in emergency situations: the case study of Abruzzi Earthquake (Italy). Sustainability 5, 3513–3525. https://doi.org/10.3390/su5083513.
- Niedertscheider, M., Haas, W., Görg, C., 2018. Austrian climate policies and GHG-emissions since 1990: what is the role of climate policy integration? Environ Sci Policy 81, 10–17. https://doi.org/10.1016/j.envsci.2017.12.007.
- OECD, 2021. Strengthening Adaptation-Mitigation Linkages for a Low-Carbon, Climate-Resilient Future. OECD Environment Policy Paper No. 23. doi: 10.1787/6d79ff6a-en
- OIB, 2023. Österreichisches Institut für Bautechnik Richtlinie 6 Energieeinsparung und Wärmeschutz. https://www.oib.or.at/sites/default/files/oib-rl\_6\_ausgabe\_mai\_2023.pdf (accessed 02 Oct 2024).
- Patterson, J., Schulz, K., Vervoort, J., van der Hel, S., Widerberg, O., Adler, C., Hurlbert, M., Anderton, K., Sethi, M., Barau, A., 2017. Exploring the governance and politics of transformations towards sustainability. Environ. Innov. Soc. Trans. 24, 1–16. https://doi.org/10.1016/j.eist.2016.09.001.
- Pelling, M., High, C., 2005. Understanding adaptation: what can social capital offer assessments of adaptive capacity? Glob. Environ. Chang. 15 (4), 308–319. https://doi.org/10.1016/j.gloenvcha.2005.02.001.
- Peters, B.G., 2018. The challenge of policy coordination. Policy Des. Pract. 1 (1), 1-11. https://doi.org/10.1080/25741292.2018.1437946.
- Radinger-Peer, V., Penker, M., Chiari, S., Danzinger, G., Enengel, B., Kühnel, F., Sammer, K., 2015. Regional Vulnerability to the Challenges of Climate Change and Energy Provision: Lessons Learned from Transdisciplinary Assessments in Austria and Germany. GAIA Ecological Perspectives for Science and Society, 24, 261–270. doi: 10.14512/gaia.24.4.12.
- Rauter, M., Schindelegger, A., Fuchs, S., Thaler, T., 2019. Deconstructing the legal framework for flood protection in Austria: individual and state responsibilities from a planning perspective. Water Int. 44 (5), 571–587. https://doi.org/10.1080/02508060.2019.1627641.
- Rauter, M., Kaufmann, M., Thaler, T., Fuchs, S., 2020. Flood risk management in Austria: Analysing the shift in responsibility-sharing between public and private actors from a public stakeholder's perspective. Land Use Policy 99, 105017. https://doi.org/10.1016/j.landusepol.2020.105017.
- Rose, D., Mukherjee, N., Simmons, B., Tew, E., Robertson, R., Vadrot, A., Doubleday, R., Sutherland, W., 2020. Policy windows for the environment: Tips for improving the uptake of scientific knowledge. Environ. Sci. & Policy 113, 47–54. https://doi.org/10.1016/j.envsci.2017.07.013.
- Rutting, L., Vervoort, J., Mees, H., Pereira, L., Veeger, M., Muiderman, K., Mangnus, A., Winkler, K., Olsson, P., Hichert, T., Lane, R., Bottega Pergher, B., Christiaens, L., Bansal, N., Hendriks, A., Driessen, P., 2023. Disruptive seeds: a scenario approach to explore power shifts in sustainability transformations. Sust. Sci. 18 (3), 1117–1133. https://doi.org/10.1007/s11625-022-01251-7.
- Seebauer, S., Winkler, C., 2020a. Should I stay or should I go? Factors in household decisions for or against relocation from a flood risk area. Glob. Environ. Chang. 60, 102018. https://doi.org/10.1016/j.gloenvcha.2019.102018.
- Seebauer, S., Winkler, C., 2020b. Coping strategies and trajectories of life satisfaction among households in a voluntary planned program of relocation from a flood risk area. Clim. Change 162 (4), 2219–2239. https://doi.org/10.1007/s10584-020-02796-1.
- Seebauer, S., Friesenecker, M., Eisfeld, K., 2019. Integrating climate and social housing policies to alleviate energy poverty: an analysis of targets and instruments in Austria. Energy Sources Part B 14 (7–9), 304–326. https://doi.org/10.1080/15567249.2019.1693665.
- Seebauer, S., Lückl, A., Köberl, J., Kulmer. V., 2021. Soziale Folgen des Klimawandels in Österreich. Endbericht an das Bundesministerium für Soziales, Gesundheit, Pflege und Konsumentenschutz. https://www.sozialministerium.at/Services/Studien.html (Accessed 02 Oct 2024).
- Seebauer, S., Thaler, T., Hanger-Kopp, S., Schinko, T., 2023. How path dependency manifests in flood risk management: Observations from four decades in the Ennstal and Aist catchments in Austria. Reg. Environ. Chang. 23, 31. https://doi.org/10.1007/s10113-023-02029-y.
- Seebauer, S., Posch, E., Thaler, T., Winkler, C., Mitter, H., 2025. Under which conditions can shocks stimulate transformative recovery: the Strategy Shock Implementation Reaction (SSIR) framework. Mitig. Adapt. Strat. Glob. Chang. 30, 34. https://doi.org/10.1007/s11027-025-10221-0.
- Singh, P., Chudasama, H., 2021. Pathways for climate resilient development: human well-being within a safe and just space in the 21st century. Glob. Environ. Chang. 68, 102277. https://doi.org/10.1016/j.gloenvcha.2021.102277.
- Slavikova, L., Hartmann, T., Thaler, T., 2021. Paradoxes of financial schemes for resilient flood recovery of households. WIREs Water 8 (2), e1497.
- Sparkes, E., Werners, S., 2023. Monitoring, evaluation and learning requirements for climate-resilient development pathways. Curr. Opin. Environ. Sustain. 64, 101329. https://doi.org/10.1016/j.cosust.2023.101329.
- Statistik Austria. 2024. Wohnen 2022. Zahlen, Daten und Indikatoren der Wohnstatistik. (Accessed 02 Oct 2024).
- Steurer, R., Clar, C., 2015. Is decentralisation always good for climate change mitigation? How federalism has complicated the greening of building policies in Austria. Policy Sci. 48, 85–107. https://doi.org/10.1007/s11077-014-9206-5.
- Sword-Daniels, V., Twigg, J., Loughlin, S., 2015. Time for change? Applying an inductive timeline tool for a retrospective study of disaster recovery in Montserrat, West Indies. Int. J. Disaster Risk Reduct. 12, 125–133. https://doi.org/10.1016/j.ijdrr.2014.12.006.

- Taylor, A., Methner, N., Barkai, K., McClure, A., Jack, C., New, M., Ziervogel, G., 2023. Operationalising climate-resilient development pathways in the Global South. Curr. Opin. Environ. Sustain. 64, 101328. https://doi.org/10.1016/j.cosust.2023.101328.
- Thaler, T., Seebauer, S., Schindelegger, A., 2020. Patience, persistence and pre-signals: policy dynamics of planned relocation in Austria. Glob. Environ. Chang. 63, 102122. https://doi.org/10.1016/j.gloenycha.2020.102122.
- Umweltbundesamt, 2023. Klimaschutzbericht 2023. https://www.umweltbundesamt.at/fileadmin/site/publikationen/rep0871.pdf [accessed 02 Oct 2024].
- Vergne, J.-P., Durand, R., 2010. The missing link between the theory and empirics of path dependence: Conceptual clarification, testability issue, and methodological implications. J. Manag. Stud. 47, 736–759. https://doi.org/10.1111/j.1467-6486.2009.00913.x.
- Weingraber, F., Schindelegger, A., 2018. Konfliktfeld Absiedelung von Hochwasserrisikogebieten: Grundlagen und Governance-Prozesse am Beispiel des Eferdinger Beckens (OÖ). In: Rudolf-Miklau, F., Kanonier, A. (Eds.), Regionale Risiko Governance. Verlag Österreich, Recht, Politik und Praxis, pp. 539–555.
- Werners, S., Wise, R., Butler, J., Totin, E., Vincent, K., 2021. Adaptation pathways: a review of approaches and a learning framework. Environ. Sci. Policy 116, 266–275. https://doi.org/10.1016/j.envsci.2020.11.003.
- Wieser, H., 2024. Transformative SME policy for broad-based decarbonisation. https://ccca.ac.at/fileadmin/00\_DokumenteHauptmenue/05\_Veranstaltungen/Klimatag/2024/ACRP24 14 Wieser presentation.pdf (Accessed 02 Oct 2024).
- Winkler, C., Seebauer, S., Dreisiebner-Lanz, S., Thaler, T., Mitter, H., Posch, E., Gorbach, T., Steiger, R., Kropf, B., 2025. The long and winding road of climate-resilient development: a case study-driven analysis of shocks, policy strategies and individual reactions in Austria. Reg. Environ. Chang. https://doi.org/10.1007/s10113-025-02473-y.